

October 7, 2026 General Meeting Photos

Carleton Place & District Horticultural Society

Photos from another fun and informative meeting ...

Photo credit: Rob Drapeau





Rick
Roberts





Barbara
Fowler





IRENE
TOBIS

Carlton Plaza
Horticulture







Carlo Beaudoin




Deborah O'Malley

Our Vision

We create and deliver
sustainable solutions.















Seed to Sapling S2S



Seedling Database

Seedling Database

Seedling and Sapling Database

These seedlings were collected from a seedling bank established in 1998. The bank was established to provide a source of seedlings for the restoration of the Great Smoky Mountains National Park. The bank contains a wide variety of plant species, including many rare and endangered species. The seedlings are collected from the seed bank and are grown in a nursery. The seedlings are then planted in the field. The seedlings are monitored for growth and survival. The seedlings are then removed from the database when they are planted in the field.

Seedling and Sapling Database

These seedlings were collected from a seedling bank established in 1998. The bank was established to provide a source of seedlings for the restoration of the Great Smoky Mountains National Park. The bank contains a wide variety of plant species, including many rare and endangered species. The seedlings are collected from the seed bank and are grown in a nursery. The seedlings are then planted in the field. The seedlings are monitored for growth and survival. The seedlings are then removed from the database when they are planted in the field.

Seedling and Sapling Database

These seedlings were collected from a seedling bank established in 1998. The bank was established to provide a source of seedlings for the restoration of the Great Smoky Mountains National Park. The bank contains a wide variety of plant species, including many rare and endangered species. The seedlings are collected from the seed bank and are grown in a nursery. The seedlings are then planted in the field. The seedlings are monitored for growth and survival. The seedlings are then removed from the database when they are planted in the field.



